


H型-多孔尼龙电缆防水接头

H-type Multi hole waterproof nylon cable gland

- 产品材料: 尼龙+EPDM 橡胶
- 防护等级: IP68
- 工作温度: $-40^{\circ} \sim 105^{\circ}$
- 阻燃等级: UL94V-2, 可定制 V0 级阻燃
- 产品性能: 符合 ROHS2.0 标准, 欧盟 CE, IP68 防护
- 订购说明: 标配螺母, 黑色 B (RAL9005), 灰白色 G (RAL7035)
后缀 ST 为短螺纹, 后缀 XA 为不带螺母, L 加长, S 缩小

- **Materials:** Nylon + EPDM rubber
- **Waterproof:** IP68
- **Temperature:** $-40^{\circ} \sim 105^{\circ}$, Short-term 120°
- **fire prevention:** UL94V-2, Customizable V0
- **performance:** rohs2 0 standard, EU CE, IP68



小贴士/Tips

多孔防水电缆接头应用越来越广泛, 其独特节省空间的优势是无可替代的, 当一个箱体面积较为拥挤但又必须通过多根电缆时, 多孔防水电缆接头将发挥其作用, 不仅可以同时通过多根电缆, 且可以保证其锁紧密封性能, 目前多孔以分体式为主, 选型建议取大不取小的原则, 比如电缆直径 4.5mm, 那我们更建议选择 MG20A-H2-05 而不是 MG20A-H2-06。

The multi hole waterproof cable gland is more and more widely used, and its unique advantage of saving space is irreplaceable. When a box is crowded but must pass through multiple cables, The multi hole waterproof cable gland will play its role, which can not only pass through multiple cables at the same time, but also ensure its locking and sealing performance. At present, the multi hole is mainly split type, and it is recommended to choose the larger rather than the smaller, such as the cable diameter of 4.5mm, Then we prefer MG20A-H2-05 to MG20A-H2-06.

二孔选型表/Two hole type selection table

蓝江产品型号	螺纹规格	电缆范围	螺纹直径	螺纹长度	扳手尺寸	包装
Product model	Thread size	Cable range	Thread diameter	Thread length	Wrench Size	quantity
PN.	Metric	ϕ mm	AG mm	GL mm	nut/cap mm	Pcs/bag
MG12A-H2-03	M12×1.5	1.5~3	12	8.5	18/19	50
MG16AS-H2-03	M16×1.5	1.5~3	16	10	22/19	50
MG16A-H2-04	M16×1.5	2~4	16	15	22/22	50
MG20A-H2-06	M20×1.5	3~6	20	15	27/27	50
MG20A-H2-05	M20×1.5	2~5	20	15	27/27	50
MG20A-H2-04	M20×1.5	2~4	20	15	27/27	50
MG20A-H2-03	M20×1.5	1.5~3	20	15	27/27	50
MG20AS-H2-05	M20×1.5	2~5	20	10	27/24	50
MG22A-H2-06	M22×1.5	3~6	22	10	29/27	50
MG22A-H2-05	M22×1.5	2~5	22	10	29/27	50
MG22A-H2-04	M22×1.5	2~4	22	10	29/27	50
MG22A-H2-03	M22×1.5	1.5~3	22	10	29/27	50
MG25A-H2-08	M25×1.5	5~8	25	15	33/33	50
MG25A-H2-06	M25×1.5	3~6	25	15	33/33	50
MG25A-H2-05	M25×1.5	2~5	25	15	33/33	50
MG32A-H2-10	M32×1.5	6~10	32	15	41/41	20
MG40A-H2-13	M40×1.5	9~13	40	20	50/50	10
MG50A-H2-15	M50×1.5	11~15	50	22	62/62	10
MG63A-H2-17	M63×1.5	14~17	63	25	75/78	1
PG7A-H2-03	PG7	1.5~3	12.5	8.5	17/19	50
PG9A-H2-03	PG9	1.5~3	15.2	8.5	22/19	50
PG11A-H2-04	PG11	2~4	18.6	10	22/22	50
PG13.5A-H2-05	PG13.5	2~5	20.4	10	27/24	50
PG16A-H2-06	PG16	3~6	22.5	11	30/27	50
PG16A-H2-05	PG16	2~5	22.5	11	30/27	50
PG16A-H2-04	PG16	2~4	22.5	11	30/27	50
PG16A-H2-03	PG16	1.5~3	22.5	11	30/27	50
PG21A-H2-08	PG21	5~8	28.3	12	36/33	50
PG21A-H2-06	PG21	3~6	28.3	12	36/33	50
PG21A-H2-05	PG21	2~5	28.3	12	36/33	50
PG29A-H2-10	PG29	6~10	37	12	46/41	20
PG36A-H2-13	PG36	9~13	47	15	57/50	10
PG42A-H2-15	PG42	11~15	54	15.5	64/62	10
PG48A-H2-17	PG48	14~17	59.3	16	75/78	1
G1/4A-H2-03	G1/4	1.5~3	13.15	8.5	19/19	50
G3/8A-H2-04	G3/8	2~4	16.66	15	22/22	50
G1/2A-H2-06	G1/2	3~6	20.95	15	30/27	50
G1/2A-H2-05	G1/2	2~5	20.95	10	27/24	50
G3/4A-H2-08	G3/4	5~8	26.44	15	33/33	50
G3/4A-H2-06	G3/4	3~6	26.44	15	33/33	50
G3/4A-H2-05	G3/4	2~5	26.44	15	33/33	50
G1-1/4A-H2-13	G1-1/4	9~13	41.9	16	51/50	10
G1-1/2A-H2-15	G1-1/2	11~15	47.8	22	62/62	10
G2A-H2-17	G2	14~17	60	25	75/75	1

三孔选型表/Three hole type selection table

蓝江产品型号	螺纹规格	电缆范围	螺纹直径	螺纹长度	扳手尺寸	包装
Product model	Thread size	Cable range	Thread diameter	Thread length	Wrench Size	quantity
PN.	Metric	φ mm	AG mm	GL mm	nut/cap mm	Pcs/bag
MG12A-H3-02	M12×1.5	1~2.6	12	8.5	18/19	50
MG16AS-H3-02	M16×1.5	1~2.6	16	10	22/19	50
MG16A-H3-04	M16×1.5	2~4	16	15	22/22	50
MG20A-H3-06	M20×1.5	3~6	20	15	27/27	50
MG20A-H3-05	M20×1.5	2~5	20	15	27/27	50
MG20A-H3-03	M20×1.5	1.5~3	20	15	27/27	50
MG20AS-H3-05	M20×1.5	2~5	20	10	27/24	50
MG22A-H3-06	M22×1.5	3~6	22	10	29/27	50
MG22A-H3-05	M22×1.5	2~5	22	10	29/27	50
MG22A-H3-03	M22×1.5	1.5~3	22	10	29/27	50
MG25A-H3-08	M25×1.5	5~8	25	15	33/33	50
MG25A-H3-07	M25×1.5	4~7	25	15	33/33	50
MG25A-H3-05	M25×1.5	2~5	25	15	33/33	50
MG32A-H3-10	M32×1.5	6~10	32	15	41/41	20
MG40A-H3-12	M40×1.5	9~12	40	20	50/50	10
MG50A-H3-12	M50×1.5	9~12	50	22	62/62	10
MG63A-H3-13	M63×1.5	9~13	63	25	75/78	1
PG7A-H3-02	PG7	1~2.6	12.5	8.5	17/19	50
PG9A-H3-02	PG9	1~2.6	15.2	8.5	22/19	50
PG11A-H3-04	PG11	2~4	18.6	10	22/22	50
PG13.5A-H3-05	PG13.5	2~5	20.4	10	27/24	50
PG16A-H3-06	PG16	3~6	22.5	11	30/27	50
PG16A-H3-05	PG16	2~5	22.5	11	30/27	50
PG16A-H3-03	PG16	1.5~3	22.5	11	30/27	50
PG21A-H3-08	PG21	5~8	28.3	12	36/33	50
PG21A-H3-07	PG21	4~7	28.3	12	36/33	50
PG21A-H3-05	PG21	2~5	28.3	12	36/33	50
PG29A-H3-10	PG29	6~10	37	12	46/41	20
PG36A-H3-12	PG36	9~12	47	15	57/50	10
PG42A-H3-12	PG42	9~12	54	15.5	64/62	10
PG48A-H3-13	PG48	9~13	59.3	16	75/78	1
G1/4A-H3-02	G1/4	1~2.6	13.15	8.5	19/19	50
G3/8A-H3-04	G3/8	2~4	16.66	15	22/22	50
G1/2A-H3-05	G1/2	2~5	20.95	10	27/24	50
G1/2AL-H3-06	G1/2	3~6	20.95	15	30/27	50
G1/2AL-H3-05	G1/2	2~5	20.95	15	30/27	50
G3/4A-H3-08	G3/4	5~8	26.44	15	33/33	50
G3/4A-H3-07	G3/4	4~7	26.44	15	33/33	50
G3/4A-H3-05	G3/4	2~5	26.44	15	33/33	50
*G1A-H3-10	G1	6~10	33.2	15	42/41	20
G1-1/4A-H3-12	G1-1/4	9~12	41.9	16	51/50	10
G1-1/2A-H3-12	G1-1/2	9~12	47.8	22	62/62	10
G2A-H3-13	G2	9~13	60	25	75/75	1

四孔选型表/ Four hole type selection table

蓝江产品型号	螺纹规格	电缆范围	螺纹直径	螺纹长度	扳手尺寸	包装
Product model	Thread size	Cable range	Thread diameter	Thread length	Wrench Size	quantity
PN.	Metric	φ mm	AG mm	GL mm	nut/cap mm	Pcs/bag
MG12A-H4-02	M12×1.5	1~2.3	12	8.5	18/19	50
MG16AS-H4-02	M16×1.5	1~2.3	16	10	22/19	50
MG16A-H4-03	M16×1.5	1.5~3	16	15	22/22	50
MG20A-H4-05	M20×1.5	2~4.5	20	15	27/27	50
MG20A-H4-04	M20×1.5	1.5~3.5	20	15	27/27	50
MG20A-H4-03	M20×1.5	1~2.5	20	15	27/27	50
MG20AS-H4-04	M20×1.5	2~4	20	10	27/24	50
MG22A-H4-05	M22×1.5	2~4.5	22	10	29/27	50
MG25A-H4-09	M25×1.5	6~9	25	15	33/33	50
MG25A-H4-08	M25×1.5	5~8	25	15	33/33	50
MG25A-H4-07	M25×1.5	4~7	25	15	33/33	50
MG25A-H4-06	M25×1.5	3~6	25	15	33/33	50
MG25A-H4-05	M25×1.5	2~5	25	15	33/33	50
MG32A-H4-09	M32×1.5	6~9	32	15	41/41	20
MG32A-H4-07	M32×1.5	4~7	32	15	41/41	20
MG40A-H4-12	M40×1.5	9~12	40	20	50/50	10
PG7A-H4-02	PG7	1~2.3	12.5	8.5	17/19	50
PG9A-H4-02	PG9	1~2.3	15.2	8.5	22/19	50
PG11A-H4-03	PG11	1.5~3	18.6	10	22/22	50
PG13.5A-H4-04	PG13.5	2~4	20.4	10	27/24	50
PG16A-H4-05	PG16	2~4.5	22.5	11	30/27	50
PG16A-H4-04	PG16	1.5~3.5	22.5	11	30/27	50
PG16A-H4-03	PG16	1~2.5	22.5	11	30/27	50
PG21A-H4-09	PG21	6~9	28.3	12	36/33	50
PG21A-H4-08	PG21	5~8	28.3	12	36/33	50
PG21A-H4-07	PG21	4~7	28.3	12	36/33	50
PG21A-H4-06	PG21	3~6	28.3	12	36/33	50
PG21A-H4-05	PG21	2~5	28.3	12	36/33	50
PG29A-H4-09	PG29	6~9	37	12	46/41	20
PG29A-H4-07	PG29	4~7	37	12	46/41	20
PG36A-H4-12	PG36	9~12	47	15	57/50	10
G1/4A-H4-02	G1/4	1~2.3	13.15	8.5	19/19	50
G3/8A-H4-03	G3/8	1.5~3	16.66	15	22/22	50
G1/2A-H4-04	G1/2	2~4	20.95	10	27/24	50
G1/2AL-H4-05	G1/2	2~4.5	20.95	15	30/27	50
G1/2AL-H4-04	G1/2	1.5~3.5	20.95	15	30/27	50
G1/2AL-H4-03	G1/2	1~2.5	20.95	15	30/27	50
G3/4A-H4-09	G3/4	6~9	26.44	15	33/33	50
G3/4A-H4-08	G3/4	5~8	26.44	15	33/33	50
G3/4A-H4-07	G3/4	4~7	26.44	15	33/33	50
G3/4A-H4-06	G3/4	3~6	26.44	15	33/33	50
G3/4A-H4-05	G3/4	2~5	26.44	15	33/33	50
G1-1/4A-H4-12	G1-1/4	9~12	41.9	16	51/50	10

五孔选型表/ Five hole type selection table

蓝江产品型号	螺纹规格	电缆范围	螺纹直径	螺纹长度	扳手尺寸	包装
Product model	Thread size	Cable range	Thread diameter	Thread length	Wrench Size	quantity
PN.	Metric	φ mm	AG mm	GL mm	nut/cap mm	Pcs/bag
MG20A-H5-04	M20×1.5	2~4	20	15	27/27	50
MG20A-H5-03	M20×1.5	1.5~3	20	15	27/27	50
MG22A-H5-04	M22×1.5	2~4	22	10	29/27	50
MG22A-H5-03	M22×1.5	1.5~3	22	10	29/27	50
MG25A-H5-06	M25×1.5	4~6	25	15	33/33	50
MG32A-H5-08	M32×1.5	5~8	32	15	41/41	20
MG40A-H5-08	M40×1.5	5~8	40	20	50/50	10
PG16A-H5-04	PG16	2~4	22.5	11	30/27	50
PG16A-H5-03	PG16	1.5~3	22.5	11	30/27	50
PG21A-H5-06	PG21	4~6	28.3	12	36/33	50
PG29A-H5-08	PG29	5~8	37	12	46/41	20
PG36A-H5-08	PG36	5~8	47	15	57/50	10
G1/2AL-H5-04	G1/2	2~4	20.95	15	30/27	50
G1/2AL-H5-03	G1/2	1.5~3	20.95	15	30/27	50
G3/4A-H5-06	G3/4	4~6	26.44	15	33/33	50
*G1A-H5-08	G1	5~8	33.2	15	42/41	20
G1-1/4A-H5-08	G1-1/4	5~8	41.9	16	51/50	10

六孔选型表/ Six hole type selection table

蓝江产品型号	螺纹规格	电缆范围	螺纹直径	螺纹长度	扳手尺寸	包装
Product model	Thread size	Cable range	Thread diameter	Thread length	Wrench Size	quantity
PN.	Metric	φ mm	AG mm	GL mm	nut/cap mm	Pcs/bag
MG16A-H6-02	M16×1.5	1~2.1	16	15	22/22	50
MG20A-H6-04	M20×1.5	2~4	20	15	27/27	50
MG20A-H6-03	M20×1.5	1.5~3	20	15	27/27	50
MG22A-H6-04	M22×1.5	2~4	22	10	29/27	50
MG22A-H6-03	M22×1.5	1.5~3	22	10	29/27	50
MG25A-H6-05	M25×1.5	3~5	25	15	33/33	50
MG32A-H6-07	M32×1.5	4~7	32	15	41/41	20
MG32A-H6-05	M32×1.5	3~5	32	15	41/41	20
MG40A-H6-08	M40×1.5	5~8	40	20	50/50	10
MG40A-H6-10	M40×1.5	8~10	40	20	50/50	10
MG63A-H6-12	M63×1.5	8~12	63	25	75/78	1
PG11A-H6-02	PG11	1~2.1	18.6	10	22/22	50
PG16A-H6-04	PG16	2~4	22.5	11	30/27	50
PG16A-H6-03	PG16	1.5~3	22.5	11	30/27	50
PG21A-H6-05	PG21	3~5	28.3	12	36/33	50
PG29A-H6-07	PG29	4~7	37	12	46/41	20
PG29A-H6-05	PG29	3~5	37	12	46/41	20
PG36A-H6-08	PG36	5~8	47	15	57/50	10
PG36A-H6-10	PG36	8~10	47	15	57/50	10
PG48A-H6-12	PG48	8~12	59.3	16	75/78	1

蓝江产品型号	螺纹规格	电缆范围	螺纹直径	螺纹长度	扳手尺寸	包装
Product model	Thread size	Cable range	Thread diameter	Thread length	Wrench Size	quantity
PN.	Metric	φ mm	AG mm	GL mm	nut/cap mm	Pcs/bag
G3/8A-H6-02	G3/8	1~2.1	16.66	15	22/22	50
G1/2AL-H6-04	G1/2	2~4	20.95	15	30/27	50
G1/2AL-H6-03	G1/2	1.5~3	20.95	15	30/27	50
G3/4A-H6-05	G3/4	3~5	26.44	15	33/33	50
G1-1/4A-H6-08	G1-1/4	5~8	41.9	16	51/50	10
G1-1/4A-H6-10	G1-1/4	8~10	41.9	16	51/50	10
G2A-H6-12	G2	14~17	60	25	75/75	1

七/八/九/十孔选型表/ Cable gland with more holes

蓝江产品型号	螺纹规格	电缆范围	螺纹直径	螺纹长度	扳手尺寸	包装
Product model	Thread size	Cable range	Thread diameter	Thread length	Wrench Size	quantity
PN.	Metric	φ mm	AG mm	GL mm	nut/cap mm	Pcs/bag
MG25A-H7-04	M25×1.5	2~4	25	15	33/33	50
MG40A-H7-08	M40×1.5	5~8	40	20	50/50	10
PG21A-H7-04	PG21	2~4	28.3	12	36/33	50
PG36A-H7-04	PG36	5~8	47	15	57/50	10
G3/4A-H7-04	G3/4	2~4	26.44	15	33/33	50
G1-1/4A-H7-08	G1-1/4	5~8	41.9	16	51/50	10
MG16A-H8-02	M16×1.5	1~2.1	16	15	22/22	50
MG25A-H8-04	M25×1.5	2~4	25	15	33/33	50
MG40A-H8-06	M40×1.5	3~6	40	20	50/50	10
PG11A-H8-02	PG11	1~2.1	18.6	10	22/22	50
PG21A-H8-04	PG21	2~4	28.3	12	36/33	50
PG36A-H8-06	PG36	3~6	47	15	57/50	10
G3/8A-H8-02	G3/8	1~2.1	16.66	15	22/22	50
G3/4A-H8-04	G3/4	2~4	26.44	15	33/33	50
G1-1/4A-H8-06	G1-1/4	3~6	41.9	16	51/50	10
MG40A-H9-05	M40×1.5	3~5	40	20	50/50	10
PG36A-H9-05	PG36	3~5	47	15	57/50	10
G1-1/4A-H9-05	G1-1/4	3~5	41.9	16	51/50	10
MG40A-H10-05	M40×1.5	3~5	40	20	50/50	10
PG36A-H10-05	PG36	3~5	47	15	57/50	10
G1-1/4A-H10-05	G1-1/4	3~5	41.9	16	51/50	10