

## 黄铜镀镍电缆防水接头

•**产品材料:** 黄铜镀镍, 密封件硅胶, 夹紧爪尼龙

•**防护等级:** IP68

•**工作温度:** 常规-40°~105°, 短时可达120°

•**阻燃等级:** UL94V-2, 可定制V0级阻燃

•**订购说明:**

- 1) 默认四件套: O型圈, 主体, 夹紧爪, 密封圈, 螺帽;
- 2) 特殊说明, 发货不附螺母, 如需另外购买;
- 3) 产品价格为 (人民币: 元/套, 美元: USD/set)



## Brass nickel plated waterproof cable gland

•**Product material:** nickel plated brass, silicone seal, nylon clamping claw

•**Protection grade:** IP68

•**Working temperature:** normal - 40 °~105 °, short-term up to 120 °

•**Flame retardant grade:** UL94V-2, customized V0 flame retardant

•**Ordering Instructions:**

- 1) Default four piece set: O-ring, main body, clamping claw, sealing ring, nut;
- 2) Special instructions, nuts are not attached to the shipment, if necessary, purchase separately;
- 3) The product price is (RMB: yuan/set, USD: USD/set)

•**产品应用/Product application**



## 公制螺纹/Metric thread

| 蓝江产品型号        | 螺纹规格     | 电缆范围        | 螺纹长度          | 扳手尺寸        |
|---------------|----------|-------------|---------------|-------------|
| Product model | M Thread | Cable range | Thread length | Wrench Size |
| PN.           | M        | φ mm        | GL mm         | SW1/SW2     |
| MG4B-02       | M4×0.7   | 1.5~2       | 2.5           | 5/5         |
| MG5B-03       | M5×0.8   | 2.5~3       | 3             | 6/6         |
| MG6B-03       | M6×1.0   | 2.5~3       | 4             | 8/8         |
| MG8B-04       | M8×1.0   | 3~4         | 6             | 11/11       |
| MG8B-05       | M8×1.0   | 4~5.2       | 7             | 14/14       |
| MG10B-06      | M10×1.5  | 3~6.5       | 7             | 14/14       |
| MG12B-06      | M12×1.5  | 3~6.5       | 6             | 14/14       |
| MG12B-08      | M14×1.5  | 4~8         | 6             | 14/16       |
| MG14B-06      | M14×1.5  | 3~6.5       | 6             | 14/16       |
| MG14B-08      | M14×1.5  | 4~8         | 7             | 17/17       |
| MG14B-10      | M12×1.5  | 6~10        | 7             | 20/20       |
| MG16B-08      | M16×1.5  | 4~8         | 7             | 17/14       |
| MG16B-08      | M16×1.5  | 4~8         | 7             | 17/18       |
| MG16B-10      | M16×1.5  | 5~10        | 7             | 20/20       |
| MG18B-10      | M18×1.5  | 5~10        | 7             | 20/20       |
| MG20B-08      | M20×1.5  | 4~8         | 7             | 17/22       |
| MG20B-10      | M20×1.5  | 5~10        | 7             | 20/22       |
| MG20B-12      | M20×1.5  | 6~12        | 7             | 22/22       |
| MG20B-14      | M20×1.5  | 8~14        | 7             | 24/24       |
| MG22B-14      | M22×1.5  | 8~14        | 8             | 24/24       |
| MG24B-14      | M24×1.5  | 8~14        | 8             | 24/27       |
| MG25B-14      | M25×1.5  | 8~14        | 8             | 24/27       |
| MG25B-16      | M25×1.5  | 10~16       | 8             | 27/27       |
| MG25B-18      | M25×1.5  | 13~18       | 8             | 30/30       |
| MG27B-18      | M27×2.0  | 13~18       | 8             | 30/30       |
| MG30B-18      | M30×2.0  | 13~18       | 8             | 30/32       |

| 蓝江产品型号        | 螺纹规格     | 电缆范围        | 螺纹长度          | 扳手尺寸        |
|---------------|----------|-------------|---------------|-------------|
| Product model | M Thread | Cable range | Thread length | Wrench Size |
| PN.           | M        | φ mm        | GL mm         | SW1/SW2     |
| MG32B-22      | M32×1.5  | 15 ~ 22     | 9             | 34/34       |
| MG32B-25      | M32×1.5  | 18 ~ 25     | 9             | 40/40       |
| MG33B-22      | M33×2.0  | 15 ~ 22     | 9             | 34/36       |
| MG33B-25      | M33×2.0  | 18 ~ 25     | 9             | 40/40       |
| MG36B-25      | M36×2.0  | 18 ~ 25     | 9             | 40/40       |
| MG40B-25      | M40×1.5  | 18 ~ 25     | 9             | 40/43       |
| MG40B-28      | M40×1.5  | 20 ~ 28     | 10            | 43/43       |
| MG40B-30      | M40×1.5  | 22 ~ 30     | 10            | 45/45       |
| MG40B-32      | M40×1.5  | 24 ~ 32     | 10            | 50/50       |
| MG42B-28      | M42×2.0  | 20 ~ 28     | 10            | 50/50       |
| MG48B-32      | M48×2.0  | 24 ~ 32     | 10            | 50/52       |
| MG50B-32      | M50×1.5  | 24 ~ 32     | 12            | 57/55       |
| MG50B-38      | M50×1.5  | 30 ~ 38     | 12            | 57/55       |
| MG60B-44      | M60×2.0  | 37 ~ 44     | 12            | 64/64       |
| MG63B-44      | M63×1.5  | 37 ~ 44     | 12            | 64/68       |
| MG63B-53      | M63×1.5  | 43 ~ 53     | 15            | 76/78       |
| MG64B-44      | M64×2.0  | 37 ~ 44     | 12            | 64/68       |
| MG72B-53      | M72×2.0  | 43 ~ 53     | 15            | 73/78       |
| MG75B-53      | M75×2.0  | 43 ~ 53     | 15            | 79/81       |
| MG80B-62      | M80×2.0  | 52 ~ 62     | 17            | 86/87       |
| MG88B-70      | M88×2.0  | 60 ~ 70     | 17            | 95/99       |
| MG90B-70      | M90×2.0  | 60 ~ 70     | 17            | 95/99       |
| MG100B-80     | M100×2.0 | 70 ~ 80     | 22            | 110/110     |

公制另有 M110\*2, M115\*2, M125\*2, M150\*2 等, 接受定制, 具体咨询客服

## 德制 PG 螺纹/PG thread

| 蓝江产品型号        | 螺纹规格     | 电缆范围        | 螺纹长度          | 扳手尺寸        |
|---------------|----------|-------------|---------------|-------------|
| Product model | M Thread | Cable range | Thread length | Wrench Size |
| PN.           | PG       | φ mm        | GL mm         | S1/S2 mm    |
| PG7B-06       | PG7      | 3 ~ 6.5     | 6             | 14/14       |
| PG9B-08       | PG9      | 4 ~ 8       | 7             | 17/17       |
| PG9B-10       | PG9      | 5 ~ 10      | 7             | 20/20       |
| PG11B-10      | PG11     | 5 ~ 10      | 7             | 20/20       |
| PG13.5B-08    | PG13.5   | 4 ~ 8       | 7             | 17/22       |
| PG13.5B-10    | PG13.5   | 5 ~ 10      | 7             | 20/22       |
| PG13.5B-12    | PG13.5   | 6 ~ 12      | 7             | 22/22       |
| PG13.5B-14    | PG13.5   | 8 ~ 14      | 7             | 24/24       |
| PG16B-12      | PG16     | 6 ~ 12      | 8             | 22/24       |
| PG16B-14      | PG16     | 8 ~ 14      | 8             | 24/24       |
| PG19B-14      | PG19     | 8 ~ 14      | 8             | 24/27       |
| PG21B-16      | PG21     | 10 ~ 16     | 8             | 27/30       |
| PG21B-18      | PG21     | 13 ~ 18     | 8             | 30/30       |
| PG25B-20      | PG25     | 15 ~ 20     | 8             | 30/32       |
| PG29B-25      | PG29     | 18 ~ 25     | 9             | 40/40       |
| PG36B-25      | PG36     | 18 ~ 25     | 10            | 40/50       |
| PG36B-32      | PG36     | 24 ~ 32     | 10            | 50/50       |
| PG42B-38      | PG42     | 30 ~ 38     | 10            | 58/58       |
| PG48B-44      | PG48     | 37 ~ 44     | 12            | 64/64       |
| PG63B-52      | PG63     | 42 ~ 52     | 15            | 76          |

## 英制 G 螺纹/G thread

| 蓝江产品型号        | 螺纹规格     | 电缆范围        | 螺纹长度          | 扳手尺寸        |
|---------------|----------|-------------|---------------|-------------|
| Product model | M Thread | Cable range | Thread length | Wrench Size |
| PN.           | G        | φ mm        | GL mm         | S1/S2 mm    |
| G1/4B-06      | G1/4     | 3 ~ 6.5     | 6             | 14/16       |
| G3/8B-08      | G3/8     | 4 ~ 8       | 7             | 17/18       |
| G1/2B-10      | G1/2     | 5 ~ 10      | 8             | 20/22       |
| G1/2B-12      | G1/2     | 6 ~ 12      | 8             | 22/22       |
| G1/2B-14      | G1/2     | 8 ~ 14      | 8             | 24/24       |
| G3/4B-18      | G3/4     | 13 ~ 18     | 8             | 30/30       |
| G1B-22        | G1       | 16 ~ 22     | 9             | 34/36       |
| G1B-25        | G1       | 18 ~ 25     | 9             | 40/40       |
| G1-1/4B-28    | G1-1/4   | 22 ~ 28     | 10            | 43/45       |
| G1-1/4B-30    | G1-1/4   | 23 ~ 30     | 10            | 45/45       |
| G1-1/2B-32    | G1-1/2   | 25 ~ 32     | 10            | 50/52       |
| G2B-44        | G2       | 37 ~ 44     | 12            | 64/64       |
| G2-1/2B-52    | G2-1/2   | 42 ~ 52     | 15            | 76/81       |
| G3B-70        | G3       | 65 ~ 70     | 18            | 98/98       |

## 美制 NPT 螺纹/NPT thread

| 蓝江产品型号        | 螺纹规格     | 电缆范围        | 螺纹长度          | 扳手尺寸        |
|---------------|----------|-------------|---------------|-------------|
| Product model | M Thread | Cable range | Thread length | Wrench Size |
| PN.           | NPT      | φ mm        | GL mm         | S1/S2 mm    |
| NPT1/4B-06    | NPT1/4   | 3 ~ 6.5     | 6             | 14/16       |
| NPT3/8B-08    | NPT3/8   | 4 ~ 8       | 7             | 17/18       |
| NPT1/2B-10    | NPT1/2   | 5 ~ 10      | 8             | 20/22       |
| NPT1/2B-12    | NPT1/2   | 6 ~ 12      | 8             | 22/22       |
| NPT1/2B-14    | NPT1/2   | 8 ~ 14      | 8             | 24/24       |
| NPT3/4B-18    | NPT3/4   | 13 ~ 18     | 8             | 30/30       |
| NPT1B-22      | NPT1     | 16 ~ 22     | 9             | 34/36       |
| NPT1B-25      | NPT1     | 18 ~ 25     | 9             | 40/40       |
| NPT1-1/4B-28  | NPT1-1/4 | 22 ~ 28     | 10            | 43/45       |
| NPT1-1/4B-30  | NPT1-1/4 | 23 ~ 30     | 10            | 45/45       |
| NPT1-1/2B-32  | NPT1-1/2 | 25 ~ 32     | 10            | 50/52       |
| NPT2B-44      | NPT2     | 37 ~ 44     | 12            | 64/64       |
| NPT2-1/2B-52  | NPT2-1/2 | 42 ~ 52     | 15            | 76/81       |
| NPT3B-70      | NPT3     | 65 ~ 70     | 18            | 98/98       |