

# JSK 型-双扣不锈钢包塑金属软管

Double-buckle stainless steel plastic coated metal hose

- 产品材料: 304 不锈钢, 环保 PVC 包塑
- 产品颜色: 黑色 B, 灰色 P
- 工作温度: -40° ~ 105°
- 产品特性: 双扣结构, 高强度拉伸与弯曲性能



- Product material: 304 stainless steel, environment-friendly PVC plastic coating, environment-friendly PVC coated
- Product color: black B, gray P
- Working temperature: - 40 °~105 °
- Product characteristics: double-button structure, high strength tensile and bending properties

## 产品结构/product mix



## 产品选型/Product size

蓝江双扣不锈钢包塑软管	公制规格	英制规格	外径及公差	包装
Product model	Metric	Imperial	Adapter tube	quantity
PN.	φ±	G	φ mm	Pcs/bag
JSK-10B-SS	10±0.3	5/16"	14.2±0.3	100
JSK-13B-SS	13±0.35	3/8"	16.5±0.35	100
JSK-16B-SS	16±0.4	1/2"	20.5±0.4	100
JSK-20B-SS	20±0.4	3/4"	25.7±0.4	50
JSK-25B-SS	25±0.45	1"	31.7±0.45	50
JSK-32B-SS	32±0.5	1-1/4"	39.5±0.5	25
JSK-38B-SS	38±0.6	1-1/2"	46.5±0.6	25
JSK-51B-SS	51±0.8	2"	60±0.8	20

# JSHK 型-双扣不锈钢金属软管


Double-buckle stainless steel metal hose

- 产品材料: 304 不锈钢
- 产品颜色: 不锈钢本色
- 工作温度: -40° ~ 105°
- 产品特性: 双扣结构, 高强度拉伸与弯曲性能



- Product material: 304 stainless steel
- Product color: stainless steel natural color
- Working temperature: - 40 °~105 °
- Product characteristics: double-button structure, high strength tensile and bending properties

## 产品结构/product mix



## 产品选型/Product size

蓝江双扣不锈钢软管	公制规格	英制规格	外径及公差	包装
Product model	Metric	Imperial	Adapter tube	quantity
PN.	φ	G	φ mm	Pcs/bag
JSHK-10-SS	10±0.3	5/16"	13.5±0.3	100
JSHK-13-SS	13±0.35	3/8"	15.5±0.35	100
JSHK-16-SS	16±0.4	1/2"	20±0.4	100
JSHK-20-SS	20±0.4	3/4"	24.3±0.4	50
JSHK-25-SS	25±0.45	1"	30.3±0.45	50
JSHK-32-SS	32±0.5	1-1/4"	38±0.5	25
JSHK-38-SS	38±0.6	1-1/2"	45±0.6	25
JSHK-51-SS	51±0.8	2"	58±0.8	20

# JSK 型-双扣不锈钢 316 包塑金属软管


Double-buckle stainless steel 316 plastic coated metal hose

- 产品材料: 316 不锈钢, 环保 PVC 包塑
- 产品颜色: 黑色 B, 灰色 P
- 工作温度: -40° ~ 105°
- 产品特性: 双扣结构, 高强度拉伸与弯曲性能



- Product material: 316 stainless steel, environment-friendly PVC plastic coating, environment-friendly PVC coated
- Product color: black B, gray P
- Working temperature: - 40 °~105 °
- Product characteristics: double-button structure, high strength tensile and bending properties

## 产品结构/product mix



## 产品选型/Product size

蓝江双扣不锈钢包塑软管	公制规格	英制规格	外径及公差	包装
Product model	Metric	Imperial	Adapter tube	quantity
PN.	φ±	G	φ mm	Pcs/bag
JSK-10B-S316	10±0.3	5/16"	14.2±0.3	100
JSK-13B-S316	13±0.35	3/8"	16.5±0.35	100
JSK-16B-S316	16±0.4	1/2"	20.5±0.4	100
JSK-20B-S316	20±0.4	3/4"	25.7±0.4	50
JSK-25B-S316	25±0.45	1"	31.7±0.45	50
JSK-32B-S316	32±0.5	1-1/4"	39.5±0.5	25
JSK-38B-S316	38±0.6	1-1/2"	46.5±0.6	25
JSK-51B-S316	51±0.8	2"	60±0.8	20

# JSK 型-双扣不锈钢平包塑金属软管

Double-buckle stainless steel flat plastic metal hose



- 产品材料: 304 不锈钢, 环保 PVC 包塑
- 产品颜色: 黑色 B, 灰色 P
- 工作温度:  $-40^{\circ} \sim 105^{\circ}$
- 产品特性: 平整包塑, 双扣结构, 高强度拉伸与弯曲性能

- Product material: 304 stainless steel, environment-friendly PVC plastic
- Product color: black B, gray P
- Working temperature:  $-40^{\circ} \sim 105^{\circ}$
- Product characteristics: flat plastic wrap, double-button structure, high strength tensile and bending properties

## 产品结构/product mix



## 产品选型/Product size

蓝江平包塑软管	公制规格	英制规格	外径及公差	包装
Product model	Metric	Imperial	Adapter tube	quantity
PN.	$\varphi \pm$	G	$\varphi$ mm	Pcs/bag
JSP-10B-SS	$10 \pm 0.3$	5/16"	$16 \pm 0.3$	100
JSP-13B-SS	$13 \pm 0.35$	3/8"	$18 \pm 0.35$	50
JSP-16B-SS	$16 \pm 0.4$	1/2"	$21.7 \pm 0.4$	50
JSP-20B-SS	$20 \pm 0.4$	3/4"	$27 \pm 0.4$	50
JSP-25B-SS	$25 \pm 0.45$	1"	$33 \pm 0.45$	50
JSP-32B-SS	$32 \pm 0.5$	1-1/4"	$40.7 \pm 0.5$	20
JSP-38B-SS	$38 \pm 0.6$	1-1/2"	$48.2 \pm 0.6$	20
JSP-51B-SS	$51 \pm 0.8$	2"	$61.2 \pm 0.8$	20
JSP-64B-SS	$64 \pm 2$	2-1/2"	$76.1 \pm 2$	10
JSP-75B-SS	$75 \pm 2$	3"	$87.1 \pm 2$	10
JSP-100B-SS	$100 \pm 3$	4"	$112.1 \pm 3$	10

